

# Certificate of Suitability

**Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Certificate number and Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Certificate number and/or RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.**

## CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	<b>MEAN WELL Enterprises Co., Ltd.</b>	Other Name	
Address	<b>No.28, Wuquan 3rd Road, Wugu District, New Taipei City Taiwan 24891 Taiwan</b>		
Client ID	<b>107669</b>	Global-Mark File Number:	<b>107669-009</b> System 1 Approval
Certification and Authorized Mark Number	<b>GMA-511879</b>	Revision Number	<b>00</b>
Certification Standard(s)	<b>AS 61347.2.13:2018 &amp; AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.</b>		
Type of Certification	<b>Electrical Safety Product Scheme Global-Mark Electrical Product Safety Certification Scheme</b>		

## CERTIFICATE DATES

Certificate Issue Date	<b>14/02/2022</b>
Certificate Last Update Date	
Certification Expiry Date	<b>14/02/2027</b>

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**



# Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C350A	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 430 Vdc, 0.35 A, 150.5 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C350B	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 430 Vdc, 0.35 A, 150.5 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C350D	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 430 Vdc, 0.35 A, 150.5 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C350AB	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 430 Vdc, 0.35 A, 150.5 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C500A	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 300 Vdc, 0.5 A, 150 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C500B	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 300 Vdc, 0.5 A, 150 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C500D	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 300 Vdc, 0.5 A, 150 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C500AB	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 300 Vdc, 0.5 A, 150 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C700A	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 215 Vdc, 0.7 A, 150.5 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C700B	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 215 Vdc, 0.7 A, 150.5 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C700D	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 215 Vdc, 0.7 A, 150.5 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C700AB	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 215 Vdc, 0.7 A, 150.5 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C1050A	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 148 Vdc, 1.05 A, 155.4 W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**





global-mark®

# Certificate of Suitability

Non declared	Independent LED Driver	MEANWELL	HLG-120H- C1050B	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 148 Vdc, 1.05 A, 155.4 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C1050D	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 148 Vdc, 1.05 A, 155.4 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C1050AB	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 148 Vdc, 1.05 A, 155.4 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C1400A	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 108 Vdc, 1.40 A, 151.2 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C1400B	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 108 Vdc, 1.40 A, 151.2 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C1400D	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 108 Vdc, 1.40 A, 151.2 W
Non declared	Independent LED Driver	MEANWELL	HLG-120H- C1400AB	Input: 100-240 Vac, 50/60 Hz, 1.85 A Output: 108 Vdc, 1.40 A, 151.2 W
Non declared	Independent LED Driver	MEANWELL	HLG-185H- C500A	Input: 100-240 Vac, 50/60 Hz, 2.4 A Output: 400 Vdc, 0.5 A, 200 W
Non declared	Independent LED Driver	MEANWELL	HLG-185H- C500B	Input: 100-240 Vac, 50/60 Hz, 2.4 A Output: 400 Vdc, 0.5 A, 200 W
Non declared	Independent LED Driver	MEANWELL	HLG-185H- C500D	Input: 100-240 Vac, 50/60 Hz, 2.4 A Output: 400 Vdc, 0.5 A, 200 W
Non declared	Independent LED Driver	MEANWELL	HLG-185H- C500AB	Input: 100-240 Vac, 50/60 Hz, 2.4 A Output: 400 Vdc, 0.5 A, 200 W
Non declared	Independent LED Driver	MEANWELL	HLG-185H- C700A	Input: 100-240 Vac, 50/60 Hz, 2.4 A Output: 286 Vdc, 0.7 A, 200.2 W
Non declared	Independent LED Driver	MEANWELL	HLG-185H- C700B	Input: 100-240 Vac, 50/60 Hz, 2.4 A Output: 286 Vdc, 0.7 A, 200.2 W
Non declared	Independent LED Driver	MEANWELL	HLG-185H- C700D	Input: 100-240 Vac, 50/60 Hz, 2.4 A Output: 286 Vdc, 0.7 A, 200.2 W
Non declared	Independent LED Driver	MEANWELL	HLG-185H- C700AB	Input: 100-240 Vac, 50/60 Hz, 2.4 A Output: 286 Vdc, 0.7 A, 200.2 W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER



global-mark®

# Certificate of Suitability

Non declared	Independent LED Driver	MEANWELL	HLG-185H- C1050A	Input: 100-240 Vac,50/60 Hz,2.4 A Output:190 Vdc, 1.05 A, 199.5 W
Non declared	Independent LED Driver	MEANWELL	HLG-185H- C1050B	Input: 100-240 Vac,50/60 Hz,2.4 A Output:190 Vdc, 1.05 A, 199.5 W
Non declared	Independent LED Driver	MEANWELL	HLG-185H- C1050D	Input: 100-240 Vac,50/60 Hz,2.4 A Output:190 Vdc, 1.05 A, 199.5 W
Non declared	Independent LED Driver	MEANWELL	HLG-185H- C1050AB	Input: 100-240 Vac,50/60 Hz,2.4 A Output:190 Vdc, 1.05 A, 199.5 W
Non declared	Independent LED Driver	MEANWELL	HLG-185H- C1400A	Input: 100-240 Vac,50/60 Hz,2.4 A Output: 143 Vdc, 1.40 A, 200.2 W
Non declared	Independent LED Driver	MEANWELL	HLG-185H- C1400B	Input: 100-240 Vac,50/60 Hz,2.4 A Output: 143 Vdc, 1.40 A, 200.2 W
Non declared	Independent LED Driver	MEANWELL	HLG-185H- C1400D	Input: 100-240 Vac,50/60 Hz,2.4 A Output: 143 Vdc, 1.40 A, 200.2 W
Non declared	Independent LED Driver	MEANWELL	HLG-185H- C1400AB	Input: 100-240 Vac,50/60 Hz,2.4 A Output: 143 Vdc, 1.40 A, 200.2 W

## RELEVANT TRADEMARK (S)

## COMMENTS OR CONDITIONS ON THE CERTIFICATION

Classified as NON IC not suitable for residential installation to be installed by a licensed electrician

**End of document**

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER